

DUPONT™ CORIAN® CASUAL

Product Data Sheet




DuPont de Nemours International Sàrl 2, Chemin du Pavillion P.O. Box 50 CH-1218 le Grand Saconnex Geneva, Switzerland www.corian.com

3. Product description:

Corian® Casual shower trays are composite material products used as shower trays for residential and commercial applications. They can be top mounted or embedded into the floor.

Corian® Casual products are not customisable and cannot be fabricated.



4. Material composition:

Corian® Casual shower trays are made with a composite material which consists of a base made of polyester resin and natural minerals and a hard polymeric surface layer made of polyester resin and ATH filler.


The surface layer provides optimal characteristics of resistance, hygiene, durability, reparability and the ability to completely renew the surface.



DUPONT™ CORIAN® CASUAL - PRODUCT DATA SHEET

5. Standard products:

Corian® Casual products are made in Casual White colour, a close match to Glacier White colour of Corian®, in the following formats:






All dimensions in mm
This drawing represents Casual 8003 (800x1200)

Product Name	Dimensions (WxLxH) mm	Recess Dimensions mm	Net Weight	Gross Weight
Corian® Casual 8001	800x800x30	700x700	22.5 kg	30.5 kg
Corian® Casual 8002	800x1000x30	700x900	27.5 kg	35.5 kg
Corian® Casual 8003	800x1200x30	700x1100	33 kg	44 kg
Corian® Casual 8004	800x1400x30	700x1300	38 kg	50.5 kg



DUPONT™ CORIAN® CASUAL - PRODUCT DATA SHEET



All dimensions in mm
This drawing represents Casual 8007 (900x1200)

Product Name	Dimensions (WxLxH) mm	Recess Dimensions mm	Net Weight	Gross Weight
Corian® Casual 8005	900x900x30	800x800	27 kg	35.5 kg
Corian® Casual 8006	900x1000x30	800x900	30 kg	38.5 kg
Corian® Casual 8007	900x1200x30	800x1100	36.5 kg	48 kg
Corian® Casual 8008	900x1400x30	800x1300	42 kg	55 kg

6. Dimensional tolerances:

Corian® Casual products have the following dimensional tolerance limits:

Thickness: ± 2 mm Length: ± 3 mm Warp: 2 mm

7. **Installation:**

Allow a minimum gap of 3 mm with walls and flooring. This is required to allow for expansion of the product. The expansion gap should be caulked with silicone or polyurethane sealants to avoid water infiltration.

This information is based on technical data that E. I. du Pont de Nemours and Company and its affiliates ("DuPont") believe to be reliable, and is intended for use by persons having technical skill and at their own discretion and risk. DuPont cannot and does not warrant that this information is absolutely current or accurate, although every effort is made to ensure that it is kept as current and accurate as possible. Because conditions of use are outside DuPont's control, DuPont makes no representations or warranties, express or implied, with respect to the information, or any part thereof, including any warranties of title, non-infringement of copyright or patent rights of others, merchantability, or fitness or suitability for any purpose and assumes no liability for responsibility for the accuracy, completeness, or usefulness of any information. This information should not be relied upon to create specifications, designs, or installation guidelines. The persons responsible for the use and handling of the product are responsible for ensuring the design, fabrication, or installation methods and process present no health or safety hazards. Do not attempt to perform specification, design, fabrication, or installation work without proper training or without the proper personal protection equipment. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents. DuPont shall have no liability for the use of or results obtained from such information, whether or not based on DuPont's negligence. DuPont shall not be liable for (i) any damages, including claims relating to the specification, design, fabrication, installation, or combination of this product with any other product(s), and (ii) special, direct, indirect or consequential damages. DuPont reserves the right to make changes to this information and to this disclaimer. DuPont encourages you to review this information and this disclaimer periodically for any updates or changes. Your continued access or use of this informa